

Essential Commercial TV with Multiple Use

UM751C(EU/CIS)


EASIER MAINTENANCE

Real-Time Remote Monitoring

In case of malfunctions or errors, real-time remote care is available. When an error occurs, a notification can be sent through the SNMP (Simple Network Management Protocol) protocol.

Power & Network in One Line

WOL ^(Wake on LAN) enables users to send a message through network to turn on displays. This greatly simplifies the installation and maintenance processes as only a single wire is required for power and network connection.



Essential Commercial TV with Multiple Use

UM751C(EU/CIS)

BETTER USABILITY

Compatibility with AV Control Systems

This LG TV has Crestron Connected Certification, a function that is dedicated to meeting room and that meets the growing need in corporate meeting space market.



DPM (Display Power Management)

From now on, you can configure the DPM $^{(Display \, Power \, Management)}$ function by setting the function to on. When there is no signal, the TVs enters to DPM mode to manage power efficiently.



^{*} It is a network based control system.

Available AV control systems may differ by regions.

Essential Commercial TV with Multiple Use

UM751C(EU/CIS)

VALUE ADDED FEATURES

USB Data Cloning

USB data cloning makes managing multiple displays more efficient for optimal operation, since users don't have to set up each display one by one. Once users copy data to a USB in one display, it will be easily distributed to others through a USB plug-in.

Time Scheduler

Create your own time scheduler of your Commercial TV. Once you set opening / closing hours and holidays, the TV will turn on/off according to work schedule.

External Speaker Out


Enhance the entertainment experience by adding an additional speaker. Guests listen to and control the TV audio from anywhere in the business areas, including restrooms.








DIMENSION



55" /65"

CONNECTIVITY





MCR66590414

LAN
(SERVICE)

SPEAKER OUT

OPTICAL
DIGITAL
AUDIO OUT

RGB IN/PC)

RS-232C IN (CONTROL & SERVICE)

13/18V =
700mA Max
LOBy
Laboratories,
Dobly Dobly
Audio, Dobly
Audio, Dobly
Audio, Dobly
Audio, Dobly
Audio, Dobly
Laboratories.

VIDEO/Y PB PR UMONO AUDIO®
Sitellite IN CARE IN
Streetile IN CARE IN

ANTENNAV
Streetile IN CARE IN

APPONIT

^{*} Dimensions & Jack Panels (Read/Side) may differ from the above image, so please contact LG salesteam to verify before ordering.

SPECIFICATIONS

		43UM751C	50UM751C	55UM751C	65UM751C
DESIGN	Stand Type	2 Pole	2 Pole	2 Pole	2 Pole
	Front Color	Ceramic BK	Ceramic BK	Ceramic BK	Ceramic BK
	Inch	43"	50"	55"	63"
DISPLAY	Resolution	3840x2160	3840x2160	3840x2160	3840x2160
	Backlight Unit Type	Direct	Direct	Direct	Direct
BROADCASTING SYSTEM	Digital	•	•	•	•
VIDEO	HDR / HDR Dolby Vision	4K Active / -	4K Active / -	4K Active / -	4K Active / -
AUDIO	Audio Output	10W + 10W	10W + 10W	5W + 5W	5W + 5W
	Speaker System	2.0 ch	2.0 ch	2.0 ch	2.0 ch
HOSPITALITY FEATURES		USB Cloning, Wake on LAN, SNMP, Self Diagnostics(USB), HTNG-CEC (1.4), Simplink (HDMI-CEC, 1.4), IR Out (RS-232C), Multi IR Code, Hotel Mode, Lock mode (Limited), Welcome Video / Screen, Insert Image, One Channel Map, External Speaker Out, RJP (Remote Jack Pack) Compatibility, USB Auto playback / USB Auto playback+, Auto Off / Sleep Timer, Smart Energy Saving, Motion Eye Care, Crestron Connected, DPM (Digital Power Management), Time Scheduler			
JACK INTERFACE	Set Side	Headphone Out, HDMI In (2.0), USB (2.0), CI Slot			
	Set Rear	HDMI In (HDCP, 2.0), RF In (2), AV In (Phone Jack Type), Component in (Y,Pb,Pr-Video: Phone Jack Type), Digital Audio Out (Optical), RGB In (D-sub 15pin) - PC, RS-232C(D-Sub 9pin, Control & Service), RJ45 (Usage Purpose, Control & Service), External Speaker Out (Spk-out 1, 4W (Stereo, R: 2.0W, L: 2.0W, 8Ω))			
DIMENSION (UNIT: mm / kg)	Vesa	200x200	200x200	300x300	300x300
	W x H x D / Weight (with stand)	97.5x62.5x21.6 cm	112.8x71.6x23.1 cm	123.4x77.6x23.1 cm	145.3x90.5x26.9 cm
	W x H x D / Weight (without stand)	97.5x57.1x8.64 cm	112.8x65.8x8.64 cm	123.4x71.7x8.4 cm	145.3x84x8.4 cm
	W x H x D / Weight (Shipping)	106x66x15.2 cm	121.5x77.5x16.2 cm	136x83.5x17.5 cm	160x97x19 cm
POWER (UNIT : WATTS)	Voltage, Hz	100 ~ 240, 50/60	100 ~ 240, 50/60	100 ~ 240, 50/60	100 ~ 240, 50/60
	Typical	-	-	-	-
	Stand-by	0.3	0.3	0.3	0.3

^{*} Specifications are subject to change without notice, so please contact LG salesteam to verify before ordering.





