Pre-sales leaflet for United States (2018, October 26)



Hospitality TV

- 43" Easysuite
- Full HD
- DVB-T2/T/C HEVC

43HFL3011T/12

Amaze your guests

with a smarter Hospitality TV

Send the right message to your guests with Full HD picture quality and the ability to show branded, interactive hotel pages.

Benefits

Take control with CMND

- CMND & Control: effortless maintenance of your TV's
- CMND & Create: Show the information you want, when you want

Advanced hotel features and future proof

- Full Hotel, Healthcare and Prison Modes
- MyChoice compatibility for recurring revenues
- Greet your guests with a customizable welcome page
- SmartInfo for branded, interactive hotel info pages
- Serial Xpress Protocol for interactive systems

Installation menu locking

Differentiating guest experience

- Nurse-call compatibility optimized for the Healthcare sector
- On-screen clock display for optimal guest convenience
- Schedule what you want, when you want
- Additional headphone connection for personal listening

PHILIPS

Features

CMND & Control



CMND & Control allows for remote configuration and installation of your TV's from a central location, without having to visit any rooms. Update andmanage all your displays, with minimal effort, all without having to disturb your guests.

CMND & Create



CMND & Create allows you to provide the information you want, when you want. The content management module of CMND, it allows for easy creation and distribution of interactive, branded hotel web pages. Tailor your TV's to give guests the most up to date information with the latest developments in your hotel, all in real time.

Hotel, Hospital, Prison Mode

All required features for professional use in environments where more is required than in a living room. From volume and menu locking to more rigorous material testing, energy saving, anti-theft remote controls and dedicated Heathcare and Prison features to allow for niche market applications.

MyChoice compatible



MyChoice offers a simple and low-cost way to offer your guests premium TV channels. At the same time it delivers an additional revenue stream which allows you to recover your initial TV investment.

Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

Speakers

20

Picture/Display

		Speakers	2.0
Display	LED Full HD		Down Firing
Diagonal screen size (metric)	108 cm	Bathroom speaker out	1.5W Mono 8Ohm
Diagonal screen size (inch)	43 inch	Sound Features	AVL Incredible surround
Aspect ratio	16:9		Dolby MS10
Panel resolution	1920x1080p		
Brightness	280 cd/m ²	Design	
Viewing angle Picture enhancement	176° (H) / 176° (V) Pixel Plus HD	Colour	Black
	200Hz Perfect Motion Rate	Tuner/Reception/Transmission	
Audio		Digital TV	DVB-T/T2/C
Sound output Power	16 (2×8) W	Analog TV	HEVC FHD (up to 10 PAL

On-screen clock display

With Scheduler

screen clock display, guests can easily access the current a button the clock is being displayed on the TV screen ed visibility and lower power consumption.

Show what you want, when you want with the built-in scheduler. Program up to 7 different schedules to show any type of content you want. Repeat every day, or set it for particular days such as the weekend, the choice is yours.

Welcome page



A welcome page is displayed each time the TV set is switched on. The welcome page can be branded and customized easily at the time of installation via a simple welcome image in .png format.

SmartInfo

Smartlnfo allows you to provide hotel or city information to your guests through SmartUI. Your guests have access to this interactive hotel webpage even when the TV is not connected to your intranet or internet. You can change the information regularly and easily to keep your guests up to date with all the latest developments in your hotel.

Serial Xpress Protocol (SXP)

The TV can be connected to external decoders and set-top boxes of all major interactive system providers, through the Serial Xpress Protocol (SXP).

data subject to change 2018, October 26

080p60)

Video Playback	NTSC		Serial Xpress Protocol
	PAL		JSON API for TV Control-JAPIT
	SECAM	Power control Switch On control	Green/fast startup Channel
Connectivity Rear			Feature
Antenna	IEC-75		Picture Style
HDMI1	HDMI 2.0 with HDCP 2.2		Picture Format Sound Style
	ARC HDMI 2.0 with HDCP 2.2		Volume
HDMI2 USB1	USB 2.0		Menu language
Digital Audio out	Optical	Remote Control	Cable Strap Ready Low Battery Detection
DVI audio in	Mini-Jack		RC Battery Door Lock
AV input Component	CVBS shared with YPbPr YPbPr + L/R cinch	Anti-Theft	Battery Anti-theft Protection
External Control	RJ-48		Kensington Lock
Bathroom speaker	Mini-Jack	Healthcare features	
out			Multi Romata Cantual
Connectivity Side		Control	Multi-Remote Control Healthcare RC compatible
· · · · · · · · · · · · · · · · · · ·			Nurse call system compatible
Common Interface Slot	CI+ 1.3	Convenience	Headphone out
HDMI3	HDMI 2.0 with HDCP 2.2		Independent main speaker mute
USB2	USB 3.0	Safety	Double isolation class II Flame retardant
Headphone out	Mini-Jack		Hame Feta Gant
Connectivity Enhancem	ents	Multimedia	
· · · · ·		Multimedia connec-	USB
HDMI EasyLink (HDMI	DVI (all ports) One touch play	tions	
CEC)	System Standby	Video playback	Formats: H.264/MPEG4 AVC
)	RC pass through	supported	MPEG1 MPEG2
RJ48	system audio control		MPEG4
	IR-In/Out Serial Xpress interface		WMV9/VC1
			Containers: AVI, MKV
Features			MP4 MPG
Digital services	8d EPG		TS
0	Now&Next		WMV
	MHEG		HEVC
Ease of use	Teletext Picture Style	Subtitle formats supported	SRT ASS
	Sound Style	supported	SMI
	Picture Format		SSA SUB
Land sectoral	Independent volume control	Music formats	TXT MP3
Local control	Joystick	supported	AAC
Hospitality Features			WAV
Hotel mode	Joystick Control Lock		WMA (v2 up to v9.2)
	Menu lock	Picture formats	BMP JPG
	Installation Menu Lock	supported	PNG
Prison mode	Volume limitation high security mode		GIF
i risoli niode	TXT/MHEG/USB/EPG/Subtitle Lock	Supp. Video Resolu-	up to 1920x1080p@60Hz
SmartInfo	HTML5 Browser	tion on USB	
	Interactive Templates	Accessories	
CMND&Control	Picture Slide Show Off-Line Channel Editor	Included	Tableton Stand
CMND&Control	Off-Line Settings Editor	Included	Tabletop Stand 2xAAA Batteries
	Remote Management over RF		Warranty Leaflet
	CMND&Create		Legal and Safety brochure
Your brand	SmartInfo		Power Cord
Revenue generation	Welcome Logo MyChoice	Optional	Remote Control 22AV1503A/12 External Clock 22AV1120C/00
Cloning and Firm-	Instant Initial Cloning	- F	Healthcare RC 22AV1109H/12
ware update	Via USB/RF		Setup RC 22AV9573A/12
Timer	Scheduler (7x)	Power	
	Sleep Timer Wake Up Alarm		A C 220 2 (2) / 52 (2) ·
	Wake Up On Channel	Mains power Energy Label Class	AC 220-240V; 50-60Hz A+
	Wake up Sounds	Energy Label Eu Energy Label	42 W
Clock	Clock in Standby Mode Glow-in-the-Dark RC button	power	
	Glow-in-the-Dark RC button On-screen Clock	Annual energy	62 kW h
	Optional External Clock	consumption Standby power	<0.3\//
Channels	Combined List	Standby power consumption	<0.3W
Channels	Themed lists		E d -
Channels		Power Saving	Eco mode
Interactive DRM	Off-Line Channel Editor VSecure	Power Saving Features Ambient temperature	Auto switch-off timer 0 °C to 40 °C

Dimensions

Set Width Set Height Set Depth Set width (with stand) Set height (with stand)

971 mm 564 mm 67/77 mm 971 mm

627.6 mm

Set depth (with stand) Product weight Product weight (+stand) VESA wall mount compatible

212 mm 9.2 kg

11.2 kg

200 x 200 mm

M6

 \ast Availability of features will depend on implementation chosen by integrator.

* Typical on-mode power consumption measured according to IEC62087 Ed 2. The actual energy consumption will depend on how the television is used. * This television contains lead only in certain parts or components where no technology alternatives exist in accordance with existing exemption clauses under the RoHS Directive.



data subject to change 2018, October 26

Version: 2.0.1 UPC: 8718863011058 © 2018 Koninklijke Philips N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com